



SEWER TAP CONNECTION PERMIT

(\$1200.00 per tap)

Applicant Name: _____

Applicant Address: _____

Applicant Phone Number: _____

For: _____

Location of Sewer Tap: _____

(Parcel No. or Address)

Upon condition that the applicant has complied and will comply with Ordinance No. 1343, and the rules and regulations for construction and connecting sewers and without in any way assuming any liability on the part of the Borough by reason thereof, this permit is hereby granted. The Borough **MUST** be given 24 hours advanced notice before backfilling the entire connection to enable the Borough Manager or Public Works Director to inspect service line.

Sewer tap must be used in the calendar year in which it is purchased otherwise the tap is void and a new tap must be purchased. Sewer taps are **NOT** transferrable.

This permit acknowledges receipt of the required tap charge.

Borough of Canonsburg

To schedule the inspection, please call 724 745-1800 (ext.2)

Authorized By: _____

(Borough Manager)

68 EAST PIKE STREET, CANONSBURG, PA 15317

PHONE (724) 745-1800 FAX (724) 745-8850



Inspected By: _____

Inspection Date: _____

Permit Issue Date: _____

THIS IS TO CERTIFY THAT I HAVE READ AND AGREE TO THE ABOVE REQUIREMENTS.

(Signature and Date)

68 EAST PIKE STREET, CANONSBURG, PA 15317

PHONE (724) 745-1800 FAX (724) 745-8850



SEWER TAP APPLICATION REQUIREMENTS

1. A site plan showing the size and location of all proposed structures and all existing structures.
2. Site plan shall show the existing section of sewer line the applicant wishes to connect to and shall show the upstream and downstream manholes, along with pipe size, material, and inverts
3. The proposed location of the connection shall be shown and labeled with the invert and connection method
4. The site plan shall show all existing features, such as roadway, curbs, sidewalks, etc.
5. The proposed layout route for the new lateral shall be shown including bends, cleanouts and building traps. The plans shall also identify any other required appurtenances such as backwater valves, grease interceptors, etc.
6. The plan shall identify the proposed basement elevation or the first floor elevation if there is no basement relative to the point of connection with the public sewer main. If gravity sewer service is not available to applicant, applicant shall submit detailed plans and specifications for their proposed grinder pump system.
7. Identification of build sewer pipe material, diameter, estimated maximum depth of sewer and estimated minimum cover
8. Non-residential connection shall include information on any permit requirement such as grease trap, lint trap, or hard tap depending on the proposed use of the structure
9. Customer information relative to billing address and procedures

APPLICANT MUST ALSO OBTAIN STREET OPENING PERMIT

1. Borough roadways- require Borough Street opening permit
2. County roads will require a county permit be presented
3. State Roads will require a High Occupancy Permit (HOP) from PennDOT. This permit shall be obtained prior to sewer connection permit.

******ORDINANCE 1343 CAN BE OBTAINED FOR FURTHER INFORMATION******

68 EAST PIKE STREET, CANONSBURG, PA 15317

PHONE (724) 745-1800 FAX (724) 745-8850