

SEWER CONNECTION PERMIT

ISSUE DATE _____

ISSUED TO _____

ADDRESS _____

FOR _____

LOCATION _____

Upon condition that the applicant has complied and will comply with Ordinance No. 1172, and the rules and regulations for construction of connecting sewers and without in any way assuming any liability on the part of the Borough by reason thereof, this permit is hereby granted. The Borough must be given 24 hours advance notice before backfilling the entire connection to enable the Borough Manager or Street Commissioner to inspect service line.

Sewer tap must be used in the calendar year in which it is purchased otherwise the tap is void and a new tap must be purchased. Sewer taps are not transferable.

This permit acknowledges receipt of the required tap charge in the amount of \$1,200.00. - *per Tap*

BOROUGH OF CANONSBURG

BY _____
Borough Manager


Inspected By _____

Inspection Date _____



(Call 745-1800 For Inspection)

THIS IS TO CERTIFY THAT I HAVE READ AND AGREE TO THE ABOVE REQUIREMENT.


Signature and Date




PVC THREADED CAP TO BE USED IN LAWN AREAS AND SHALL BE FLUSH WITH EXISTING SURFACE. IN PAVEMENT AREAS THE SIGHT TEE SHALL BE PROTECTED WITH A NEENAH FOUNDRY R-1878 FRAME AND CASTING SET ON A 4\"/>



PROFILE
NOT TO SCALE



SIGHT TEE COVER DETAIL
PAVED AREAS



LATERAL BEDDING DETAIL
Not To Scale

- NOTE:
- 1.) A TEST TEE MUST BE PROVIDED FOR THE AIR TESTING OF THE LATERAL.
 - 2.) NO ROOF, STORM, CELLAR SEEPAGE, SURFACE WATER OR GROUND WATER OF ANY NATURE SHALL BE ALLOWED TO ENTER THE SEWER SYSTEM. DYE AND/OR SMOKE TESTING WILL BE PERFORMED BY THE AUTHORITY WHERE REQUIRED.
 - 3.) LATERAL MUST BE INSPECTED AND APPROVED BY THE AUTHORITY & BUILDING INSPECTOR PRIOR TO BACKFILL.
 - 4.) PIPE FITTINGS SHALL MEET THE REQUIREMENTS OF ASTM SPECIFICATIONS D 1785 FOR SCH 40 ASTM D 3034 PVC DR 35.
 - 5.) THE MINIMUM PIPE SLOPE FOR A 4\"/>

STANDARD CONNECTION TO SANITARY SEWER

ADOPTED BY THE BOARD:

Not To Scale

REVISIONS:

CONSTRUCTION STANDARDS